




## KM 130/300 R LPG

LPG-powered fully hydraulic industrial sweeper with three-wheel rear steering. For heavy-duty applications in building material plants, metal works, foundries and other dirt-intensive industries.



### 1 Robust construction

- Solid steel frame.
- Hard-wearing industrial motors with water cooling.



### 2 Effective filter for a long service life

- Flat pleated filter with 5.5 m<sup>2</sup> filter area.
- Effective filter cleaning with dual scraper.



### 3 Outstanding user-friendliness

- EASY Operation operating concept.
- Easy cab access.



### 4 Classic version with diesel drive

- Simple operation via lever.
- Large pocket filter with 7.8 m<sup>2</sup> filter area.



## KM 130/300 R LPG

- High working and transport speed
- Simple brush roller replacement without tools
- Traction drive and sweeping system fully hydraulic

### Technical data

<b>Order no.</b>		<b>1.186-121.0</b>
<b>EAN code</b>		4039784521148
<b>Drive</b>		Four-stroke LPG engine / Kubota
<b>Drive- performance</b>	<b>kW</b>	17.5
<b>Max. area performance</b>	<b>m²/h</b>	13000
<b>Working width</b>	<b>mm</b>	1000
<b>Working width with 1 side brush</b>	<b>mm</b>	1300
<b>Working width with two side brushes</b>	<b>mm</b>	1550
<b>Waste container</b>	<b>l</b>	300
<b>Climbing ability</b>	<b>%</b>	18
<b>Working speed</b>	<b>km/h</b>	10
<b>Filter areas</b>	<b>m²</b>	5.5
<b>Weight</b>	<b>kg</b>	900
<b>Dimensions (L × W × H)</b>	<b>mm</b>	2150 × 1330 × 1430

### Equipment

<b>Filter cleaning manual</b>	■	<b>Battery indicator</b>	■
<b>Powerful traction drive</b>	Hydraulic	<b>Elapsed time counter</b>	■
<b>Main sweeper roller adjustable</b>	■	<b>Sweeping function, can be switched off</b>	■
<b>Power steering</b>	■	<b>Wheels, pneumatic</b>	■
<b>Dustpan principle</b>	■	<b>Side brush, automatically swings out</b>	■
<b>Forwards traction drive</b>	■	<b>Sturdy bumper</b>	■
<b>Backwards traction drive</b>	■		
<b>Suction</b>	■		
<b>Hydr. high dump</b>	■		
<b>Outdoor use</b>	■		
<b>Indoor use</b>	■		

■ Included in the scope of supply.

# KM 130/300 R LPG

## 1.186-121.0

**KÄRCHER**



		Order no.	Installation ex works	Length / width	Diame- ter	Price	Description	
<b>Flat pleated filter</b>								
Flat pleated filter, green	1	6.988-158.0					Provides high separation degree, saves on maintenance costs, ensures optimum waste air cleaning.	■
Flat pleated filter, white	2	6.987-519.0					Plastic filter for standard applications.	□
<b>Standard roller brush</b>								
Standard roller brush	3	6.987-438.0		1000 mm	300 mm		Tough standard roller brush with moisture-proof universal bristles for normal soiling on all surfaces. Extremely durable.	■
<b>Main sweeper roller, soft</b>								
Main sweeper roller, soft	4	6.987-460.0		1000 mm	300 mm		Specially designed with polypropylene bristles for fine dust sweeping on smooth floors in both inside and outside areas.	□
Main sweeper roller, soft/natural	5	6.987-440.0		1000 mm	300 mm		Specially designed with natural bristles for sweeping fine dust on smooth floors indoors.	□
<b>Main sweeper roller, hard</b>								
Main sweeper roller, hard	6	6.987-439.0		1000 mm	300 mm		For removing stubborn dirt outdoors.	□

■ Included in the scope of supply. □ Available accessories.

# KM 130/300 R LPG

## 1.186-121.0




		Order no.	Installation ex works	Length / width	Diame- ter	Price	Description	
<b>Standard side brushes</b>								
Side brush, standard	1	6.987-083.0			550 mm		Water-resistant universal bristles, durable, suitable for all surfaces.	■
<b>Side brush, hard</b>								
Side brush, hard	2	6.905-773.0			550 mm		Removes stubborn dirt outdoors, moisture-proof, mildly abrasive	□
<b>Side brush, hard</b>								
Side brush, steel bristles	3	6.905-619.0			550 mm		For stripping, removing moss, abrasive, for outdoor use only	□
<b>Side brush, soft</b>								
Side brush, soft	4	6.905-620.0			550 mm		Sweeps fine dust on all surfaces, moisture-proof, for indoors and outdoors	□

■ Included in the scope of supply. □ Available accessories.

# KM 130/300 R LPG

## 1.186-121.0

**KÄRCHER**




		Order no.	Installation ex works				Price	Description	
<b>Sweeping/Vacuuming</b>									
Vacuum cleaner	1	2.852-814.0	2.852-814.7					For cleaning corners	<input type="checkbox"/>
Side brush cover	2	2.851-286.0						Side brush cover reduces dust dispersion.	<input type="checkbox"/>
<b>Side brushes, left</b>									
ABS 2. Side brush, left	3	2.851-272.0	2.851-272.7					Complete, including standard side brushes for excellent cleaning results.	<input type="checkbox"/>
<b>Other mounting kits</b>									
Comfort seat	4	6.373-014.0						For increased driving comfort.	<input type="checkbox"/>
Add-on kit ram protection KM 130/300 R	5	2.852-620.0							<input type="checkbox"/>
Stainless steel waste container	6	6.961-926.7	6.961-926.7					Stainless steel waste container for waste and areas of application with increased risk of corrosion.	<input type="checkbox"/>
<b>Lighting</b>									
Working lights	7	2.851-279.0	2.851-279.7					Working lights for additional illumination of large areas such as underground car parks or warehouses.	<input type="checkbox"/>
<b>Protective roof</b>									
Add-on kit protection shield sweeper 130	8	2.852-595.0							<input type="checkbox"/>
<b>Driver's protective cabin</b>									
Weather protection cabin	9	2.851-271.7	2.851-271.7					Robust tubular steel frame, windscreen with windscreen wiper and plastic cover on the side and at the rear - for protection against wind and weather.	<input type="checkbox"/>
Protective cabin with windscreen and windscreen wiper	10	2.851-269.7	2.851-269.7					The roof with windscreen and windscreen wiper protects the driver from falling objects.	<input type="checkbox"/>
Protective cabin	11	2.851-267.7	2.851-267.7					The protective roof complies with VDE standard IEC 60335-2-72.	<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.

# KM 130/300 R LPG

## 1.186-121.0



		Order no.	Installation ex works				Price	Description	
<b>Tyres</b>									
Pneumatic tyre wheel set	1	4.515-332.0	4.515-332.7					Pneumatic tyres for standard applications.	<input type="checkbox"/>
<b>Tyres, puncture-proof</b>									
Puncture-proof tyres (set), full rubber, non-marking	2	4.515-328.0	4.515-328.7					Recommended for sweeping metal shavings, glass shards, etc. Avoids tyre marks on light surfaces.	<input type="checkbox"/>

■ Included in the scope of supply.    □ Available accessories.

# **KM 130/300 R LPG** **1.186-121.0**



		Order no.	Installation ex works				Price	Description	
<b>Water spraying system</b>									
Water spraying system for side brushes	1	2.851-492.0	2.851-492.7					For binding dust. Consisting of stainless steel water tank (50 l) and spray nozzles on the side brushes.	<input type="checkbox"/>

■ Included in the scope of supply.
 ☐ Available accessories.