




## KM 150/500 R LPG

LPG-powered fully hydraulic industrial sweeper with three-wheel rear steering. For heavy-duty applications in building material plants, metal works, foundries and other dirt-intensive industries.



### 1 Efficient filter system

- Flat pleated filter with 7 m<sup>2</sup> filter area.
- Effective cleaning with dual scraper.

### 2 Comfortable workspace

- All control elements are clearly arranged and within easy reach.
- All displays within view.

### 3 Simple operation, maintenance and servicing

- Very simple technology with tried-and-tested components: fully hydraulic drive, electric rather than electronic.
- Easy access to the motor compartment for quick and easy servicing.

### 4 Classic version with diesel drive

- Simple operation via lever.
- Large pocket filter with 10.5 m<sup>2</sup> filter area.



## KM 150/500 R LPG

- High working and transport speed
- Traction drive and sweeping system fully hydraulic
- Low-maintenance

### Technical data

<b>Order no.</b>	1.186-123.0	
<b>EAN code</b>	4039784521896	
<b>Drive</b>	Four-stroke LPG engine / Kubota	
<b>Drive- performance</b>	<b>kW</b>	22
<b>Max. area performance</b>	<b>m<sup>2</sup>/h</b>	18000
<b>Working width</b>	<b>mm</b>	1200
<b>Working width with 1 side brush</b>	<b>mm</b>	1500
<b>Working width with two side brushes</b>	<b>mm</b>	1800
<b>Waste container</b>	<b>l</b>	500
<b>Climbing ability</b>	<b>%</b>	18
<b>Working speed</b>	<b>km/h</b>	12
<b>Filter areas</b>	<b>m<sup>2</sup></b>	7
<b>Weight</b>	<b>kg</b>	1415
<b>Dimensions (L × W × H)</b>	<b>mm</b>	2442 × 1570 × 1640


### Equipment

Filter cleaning manual	■	Indoor use	■
Powerful traction drive	Hydrostatic	Elapsed time counter	■
Main sweeper roller adjustable	■	Sweeping function, can be switched off	■
Power steering	■	Wheels, pneumatic	■
Suction volume regulation	■	Side brush, automatically swings out	■
Dustpan principle	■		
Forwards traction drive	■		
Backwards traction drive	■		
Suction	■		
Hydr. high dump	■		
Outdoor use	■		

■ Included in the scope of supply.

# KM 150/500 R LPG

## 1.186-123.0



		Order no.	Installation ex works	Length / width	Diame-ter		Price	Description	
<b>Flat pleated filter</b>									
Flat pleated filter, green	1	6.988-159.0						Provides high separation degree, saves on maintenance costs, ensures optimum waste air cleaning.	■
Flat pleated filter, white	2	6.987-177.0						Plastic filter for standard applications.	□
<b>Standard roller brush</b>									
Standard roller brush	3	6.987-085.0		1194 mm	380 mm			Tough standard roller brush with moisture-proof universal bristles for normal soiling on all surfaces. Extremely durable.	■
<b>Main sweeper roller, soft</b>									
Main sweeper roller, soft	4	6.987-464.0		1194 mm	380 mm			Specially designed with polypropylene bristles for fine dust sweeping on smooth floors in both inside and outside areas.	□
Main sweeper roller, soft/natural	5	6.987-437.0		1194 mm	380 mm			Specially designed with natural bristles for sweeping fine dust on smooth floors indoors.	□
<b>Main sweeper roller, hard</b>									
Main sweeper roller, hard	6	6.987-436.0		1194 mm	380 mm			For removing stubborn dirt outdoors.	□

■ Included in the scope of supply. □ Available accessories.

# KM 150/500 R LPG

## 1.186-123.0




		Order no.	Installation ex works	Length / width	Diame-ter	Price	Description	
<b>Standard side brushes</b>								
Side brush, standard	1	6.987-083.0			550 mm		Water-resistant universal bristles, durable, suitable for all surfaces.	■
<b>Side brush, hard</b>								
Side brush, hard	2	6.905-773.0			550 mm		Removes stubborn dirt outdoors, moisture-proof, mildly abrasive	□
<b>Side brush, hard</b>								
Side brush, steel bristles	3	6.905-619.0			550 mm		For stripping, removing moss, abrasive, for outdoor use only	□
<b>Side brush, soft</b>								
Side brush, soft	4	6.905-620.0			550 mm		Sweeps fine dust on all surfaces, moisture-proof, for indoors and outdoors	□

■ Included in the scope of supply. □ Available accessories.

# KM 150/500 R LPG

## 1.186-123.0



		Order no.	Installation ex works							Price	Description								
<b>Driver's protective cabin</b>																			
Comfort cabin with heating	1	2.852-133.7	2.852-133.7								Robust tubular steel frame. Glass all-round. Hinged rear window. Left side window.								<input type="checkbox"/>
Comfort cabin	2	2.851-264.7	2.851-264.7								The robust steel construction reliably protects the driver. Fully glazed with hinged rear window and left side window.								<input type="checkbox"/>
Protective cabin with windscreen and windscreen wiper	3	2.851-270.7	2.851-270.7								The roof with windscreen and windscreen wiper protects the driver from falling objects.								<input type="checkbox"/>
Protective cabin	4	2.851-268.7	2.851-268.7								The protective roof complies with VDE standard IEC 60335-2-72.								<input type="checkbox"/>
<b>Sweeping/Vacuuuming</b>																			
Third side brush	5	2.851-277.7	2.851-277.7								For variable sweeping width - ideal for sweeping on different levels or around obstacles.								<input type="checkbox"/>
Side brush cover	6	2.851-287.0	2.851-287.7								Side brush cover reduces dust dispersion.								<input type="checkbox"/>
Add-on kit covering cap side broom KM 15	7	2.851-287.7	2.851-287.7																<input type="checkbox"/>
<b>Other mounting kits</b>																			
Comfort seat	8	6.373-014.0									For increased driving comfort.								<input type="checkbox"/>
Add-on kit ram protection KM 150/500 R	9	2.852-621.0																	<input type="checkbox"/>
Add-on kit wet sweep KM 150/500	10	2.852-821.0	2.852-821.7																<input type="checkbox"/>
Stainless steel waste container	11	6.961-927.7	6.961-927.7								Stainless steel waste container for waste and areas of application with increased risk of corrosion.								<input type="checkbox"/>
<b>Lighting</b>																			
Working lights	12	2.851-279.0	2.851-279.7								Working lights for additional illumination of large areas such as underground car parks or warehouses.								<input type="checkbox"/>
<b>Protective roof</b>																			
Protection shield sweeper 150 - 170 R	13	2.852-688.0	2.852-688.7																<input type="checkbox"/>
<b>Side brushes, left</b>																			
Second left side brush attachment kit	14	2.851-274.0	2.851-274.7								Side brush, complete, including standard side brush for increasing area performance.								<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.

# KM 150/500 R LPG

## 1.186-123.0



1



2

		Order no.	Installation ex works				Price	Description	
<b>Tyres, puncture-proof</b>									
Puncture-proof tyres (set), full rubber	1	4.515-329.0	4.515-329.7					Puncture-proof and recommended for sweeping metal shavings, glass shards, etc.	<input type="checkbox"/>
Wheel solid rubber non-chalking	2	6.435-176.0						Recommended for sweeping metal shavings, glass shards, etc. Avoids tyre marks on light surfaces.	<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.

# KM 150/500 R LPG

## 1.186-123.0



		Order no.	Installation ex works				Price	Description	
<b>Water spraying system</b>									
Water spraying system for side brushes	1	2.852-596.0	2.852-596.7					For binding dust. Consisting of stainless steel water tank (60 l) and spray water nozzles on the side brushes.	<input type="checkbox"/>

■ Included in the scope of supply.    □ Available accessories.