

KÄRCHER

makes a difference



DIRTY FLOORS FEAR THIS POWERHOUSE.

Cover more ground, faster with this incredibly productive ride-on scrubber.

Dirt does not stand a chance.

Eliminate soils fast with several productive scrub deck options for the B 250. It is built on a robust tubular steel frame to handle even the toughest operating conditions. We know that if you are looking at a machine this size you want ultimate productivity so we include large batteries and a huge solution tank to ensure long run times. The intuitive one-dial control and large color LCD screen make this beast of a scrubber surprisingly easy to use.



1 Calling this machine productive is an understatement

- Best in class practical productivity of up to 48,440 ft²/hr
- The brush deck is available in two widths to suit any need
- Save time and avoid pre-sweeping with optional integrated side brooms

2 Easy to use and easy to drive

- The short wheelbase and narrow body ensure great maneuverability for a machine of this size
- Simple to drive, one-dial operation
- No intensive training required
- Operators will appreciate the comfortable seat during long shifts

3 Maintenance is a breeze

- Tool-free brush removal
- With the automatic filling system, other tasks can be carried out while the tank automatically fills itself

4 Get it done in less time

- Long runtimes in standard mode
- ecoefficiency mode for even longer runtimes and less chemical consumption

5 Designed for the real world

- Integrated brush head impact protection for durability
- Color coded controls makes training easy

Technical data and equipment.



Pictured side brooms are optional

B 250 R BP WITH R 100 HEAD

B 250 R BP WITH D 100 HEAD

B 250 R BP WITH R 120 HEAD

TECHNICAL SPECIFICATIONS

		B 250 R BP WITH R 100 HEAD	B 250 R BP WITH D 100 HEAD	B 250 R BP WITH R 120 HEAD
Cleaning path	in	39	39	47
Brush quantity		2	2	2
Brush diameter	in	5	20	5
Squeegee width	in	42	42	56
Tank capacity (solution/recovery)	gal	66/66	66/66	66/66
Operating noise level (standard/eco!)	dB(A)	73/65	73/65	73/65
Total machine battery voltage	V	36	36	36
Down pressure	lbs	291	303	309
Brush speed (min/max)	rpm	600/1,250	140	600/1,250
Weight with batteries	lbs	2,756	2,756	2,800
Dimensions (L x W x H)	in	75 x 42 x 61	75 x 42 x 61	75 x 42 x 61
Productivity (practical/theoretical)	ft²/hr	40,365/64,585	40,365/64,585	48,440/77,500
Minimum turning radius	in	84	84	84
Climbing ability (scrubbing/transport)	%	12/15	12/15	12/15
Max speed (scrubbing/transport)	mph	3.7/5	3.7/5	3.7/5

EQUIPMENT

Order No.	Description
9.841-298.0	B 250 R Bp, R 100 cylindrical scrub deck, 36 V/344 Ah wet batteries, shelf charger, curved squeegee, red brushes
9.841-299.0	B 250 R Bp, R 100 cylindrical scrub deck, 36 V/335 Ah AGM batteries, shelf charger, curved squeegee, red brushes
9.841-300.0	B 250 R Bp, R 100 cylindrical scrub deck, 36 V/650 Ah steel case wet batteries, shelf charger, curved squeegee, red brushes
9.841-301.0	B 250 R Bp, R 100 cylindrical scrub deck, 36 V/650 Ah steel case wet batteries, H.E. shelf charger, curved squeegee, red brushes
9.841-306.0	B 250 R Bp, R 100 cylindrical scrub deck, 36 V/344 Ah batteries, shelf charger, curved squeegee, red brushes, two side brooms
9.841-307.0	B 250 R Bp, R 100 cylindrical scrub deck, 36 V/335 Ah AGM batteries, shelf charger, curved squeegee, red brushes, two side brooms
9.841-308.0	B 250 R Bp, R 100 cylindrical scrub deck, 36 V/650 Ah steel case wet batteries, shelf charger, curved squeegee, red brushes, two side brooms
9.841-309.0	B 250 R Bp, R 100 cylindrical scrub deck, 36 V/650 Ah steel case wet batteries, H.E. shelf charger, curved squeegee, red brushes, two side brooms
9.841-302.0	B 250 R Bp, R 120 cylindrical scrub deck, 36 V/344 Ah batteries, shelf charger, curved squeegee, red brushes
9.841-303.0	B 250 R Bp, R 120 cylindrical scrub deck, 36 V/335 Ah AGM batteries, shelf charger, curved squeegee, red brushes
9.841-304.0	B 250 R Bp, R 120 cylindrical scrub deck, 36 V/650 Ah steel case wet batteries, shelf charger, curved squeegee, red brushes
9.841-305.0	B 250 R Bp, R 120 cylindrical scrub deck, 36 V/650 Ah steel case wet batteries, H.E. shelf charger, curved squeegee, red brushes
9.841-310.0	B 250 R Bp, R 120 cylindrical scrub deck, 36 V/344 Ah batteries, shelf charger, curved squeegee, red brushes, two side brooms
9.841-311.0	B 250 R Bp, R 120 cylindrical scrub deck, 36 V/335 Ah AGM batteries, shelf charger, curved squeegee, red brushes, two side brooms
9.841-312.0	B 250 R Bp, R 120 cylindrical scrub deck, 36 V/650 Ah steel case wet batteries, shelf charger, curved squeegee, red brushes, two side brooms
9.841-313.0	B 250 R Bp, R 120 cylindrical scrub deck, 36 V/650 Ah steel case wet batteries, H.E. shelf charger, curved squeegee, red brushes, two side brooms
9.841-361.0	B 250 R Bp, D 100 disc scrub deck, 36 V/344 Ah wet batteries, shelf charger, shelf charger, curved squeegee, red brushes
9.841-362.0	B 250 R Bp, D 100 disc scrub deck, 36 V/335 Ah AGM batteries, shelf charger, shelf charger, curved squeegee, red brushes
9.841-363.0	B 250 R Bp, D 100 disc scrub deck, 36 V/650 Ah steel case wet batteries, shelf charger, shelf charger, curved squeegee, red brushes
9.841-364.0	B 250 R Bp, D 100 disc scrub deck, 36 V/650 Ah steel case wet batteries, shelf charger, H.E. shelf charger, curved squeegee, red brushes

SERVICES

Order No.	Description
<input type="checkbox"/> 7.000-270.0	Fleet one year premium subscription

Included
 Optional

ACCESSORIES

For a list of available accessories please refer to the Kärcher floor care catalog available through customer care with order number 9.807-518.0.

Please contact us for more information:

Kärcher U.S.A.

4555 Airport Way
Denver, CO 80239
U.S.A.

Phone 888-805-9852
Fax 800-248-8409

www.karcher.com/us

Kärcher Canada

275 Pendant Drive
Mississauga, ON L5T 2W9
Canada

Phone 888-705-9444
Fax 905-672-3155

www.karcher.ca